PRESSOL PLASTIC OIL SYRINGE 350 ML, RIGID SPOUT 135 MM

Model: 05 118



Description

Specification

- Angled spout ALU (01 071)
- Single-acting plastic pump (EWKP)
- Pump enables drip feed
- All valves are ball valve type
- Pump, with 2 ball valves
- Ergonomic design
- High surface quality

Volume of container (ml)	350
Material of container	HDPE (high density polyethylene)
Colour of container	white, transparent
Material of pump	polyethylene
Volume per stroke pump (ml/stroke)	1
Length of spout (mm)	135
Material of spout	aluminium
Height (mm)	135
Base LxB (mm)	130 x 75
Weight (kg)	0,15

General data

Weight (kg)	0,14

Technical data

Measurements LxWxH (mm)	130 x 75 x 135
Content (ml)	350
Color	white, transparant
Lenght	Spout = 135 mm (aluminium)
Material	plastic (high density)

Smeertechniek Rotterdam
Cairostraat 74
3047 BC Rotterdam

T 010 - 466 62 55
F 010 - 466 66 55
E info@smeertechniek.nl
W www.smeertechniek.nl

Scan the QR code to order this product

Smeertechniek Rotterdam
Cairostraat 74
3047 BC Rotterdam

T 010 - 466 62 55
F 010 - 466 66 55
E info@smeertechniek.nl
W www.smeertechniek.nl

Scan the QR code to
order this product